

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Sherman-Denison

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1	1	2
		% within Sex	25.0%	33.3%	28.6%
	30-39	Count	3	2	5
		% within Sex	75.0%	66.7%	71.4%
Total		Count	4	3	7
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	3	2	5
		% within Sex	75.0%	66.7%	71.4%
	African American	Count	1	1	2
		% within Sex	25.0%	33.3%	28.6%
Total	Count	4	3	7	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2		2
		% within Sex	50.0%		28.6%
	IDU	Count		1	1
		% within Sex		33.3%	14.3%
	Heterosexual Contact	Count		2	2
		% within Sex		66.7%	28.6%
	Not Classified	Count	2		2
		% within Sex	50.0%		28.6%
Total	Count	4	3	7	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count	5	5
		% within Adult-Ped	71.4%	71.4%
	African American	Count	2	2
		% within Adult-Ped	28.6%	28.6%
Total	Count		7	7
	% within Adult-Ped		100.0%	100.0%

a. HSDA = Sherman-Denison

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol escent	Total
Sex	Male	Count	4	4
		% within Adult-Ped	57.1%	57.1%
	Female	Count	3	3
		% within Adult-Ped	42.9%	42.9%
Total	Count		7	7
	% within Adult-Ped		100.0%	100.0%

a. HSDA = Sherman-Denison

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Sherman-Denison

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count		1	1
		% within Sex		33.3%	9.1%
	25-29	Count	1	2	3
		% within Sex	12.5%	66.7%	27.3%
	30-39	Count	3		3
		% within Sex	37.5%		27.3%
	40-49	Count	1		1
		% within Sex	12.5%		9.1%
	50-59	Count	3		3
		% within Sex	37.5%		27.3%
Total		Count	8	3	11
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5	2	7
		% within Sex	62.5%	66.7%	63.6%
	African American	Count	3		3
		% within Sex	37.5%		27.3%
	Hispanic	Count		1	1
		% within Sex		33.3%	9.1%
	Total		Count	8	3
			% within Sex	100.0%	100.0%

a. HSDA = Sherman-Denison

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6		6
		% within Sex	75.0%		54.5%
	IDU	Count	1	1	2
		% within Sex	12.5%	33.3%	18.2%
	Heterosexual Contact	Count		1	1
		% within Sex		33.3%	9.1%
	Not Classified	Count	1	1	2
		% within Sex	12.5%	33.3%	18.2%
Total	Count	8	3	11	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	7	7
		% within Adult-Ped	63.6%	63.6%
	African American	Count	3	3
		% within Adult-Ped	27.3%	27.3%
	Hispanic	Count	1	1
		% within Adult-Ped	9.1%	9.1%
Total	Count	11	11	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Sherman-Denison

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	8	8
		% within Adult-Ped	72.7%	72.7%
	Female	Count	3	3
		% within Adult-Ped	27.3%	27.3%
Total		Count	11	11
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Sherman-Denison

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Sherman-Denison

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count	1		1
		% within Sex	4.3%		3.0%
	13-19	Count		1	1
		% within Sex		10.0%	3.0%
	20-24	Count	2	2	4
		% within Sex	8.7%	20.0%	12.1%
	25-29	Count	2	2	4
		% within Sex	8.7%	20.0%	12.1%
	30-39	Count	10	3	13
		% within Sex	43.5%	30.0%	39.4%
	40-49	Count	3	1	4
		% within Sex	13.0%	10.0%	12.1%
	50-59	Count	5	1	6
		% within Sex	21.7%	10.0%	18.2%
Total	Count	23	10	33	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	17	6	23
		% within Sex	73.9%	60.0%	69.7%
	African American	Count	5	3	8
		% within Sex	21.7%	30.0%	24.2%
	Hispanic	Count	1	1	2
		% within Sex	4.3%	10.0%	6.1%
Total	Count	23	10	33	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	16		16
		% within Sex	69.6%		48.5%
	IDU	Count	2	2	4
		% within Sex	8.7%	20.0%	12.1%
	Heterosexual Contact	Count	1	5	6
		% within Sex	4.3%	50.0%	18.2%
	Not Classified	Count	3	3	6
		% within Sex	13.0%	30.0%	18.2%
	Ped Hemophiliac	Count	1		1
		% within Sex	4.3%		3.0%
Total	Count	23	10	33	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		23	23
		% within Adult-Ped		71.9%	69.7%
	African American	Count	1	7	8
		% within Adult-Ped	100.0%	21.9%	24.2%
	Hispanic	Count		2	2
		% within Adult-Ped		6.3%	6.1%
Total	Count	1	32	33	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	22	23
		% within Adult-Ped	100.0%	68.8%	69.7%
	Female	Count		10	10
		% within Adult-Ped		31.3%	30.3%
Total		Count	1	32	33
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

HSDA = Sherman-Denison

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count	1		1
		% within Sex	4.5%		3.1%
	13-19	Count		1	1
		% within Sex		10.0%	3.1%
	20-24	Count	2	2	4
		% within Sex	9.1%	20.0%	12.5%
	25-29	Count	2	2	4
		% within Sex	9.1%	20.0%	12.5%
	30-39	Count	10	3	13
		% within Sex	45.5%	30.0%	40.6%
	40-49	Count	3	1	4
		% within Sex	13.6%	10.0%	12.5%
	50-59	Count	4	1	5
		% within Sex	18.2%	10.0%	15.6%
Total	Count	22	10	32	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	20-24	Count	2	2	4
		% within Sex	9.1%	20.0%	12.5%
	25-29	Count	3	2	5
		% within Sex	13.6%	20.0%	15.6%
	30-39	Count	7	4	11
		% within Sex	31.8%	40.0%	34.4%
	40-49	Count	5	1	6
		% within Sex	22.7%	10.0%	18.8%
	50-59	Count	4		4
		% within Sex	18.2%		12.5%
	60-69	Count	1	1	2
		% within Sex	4.5%	10.0%	6.3%
Total	Count	22	10	32	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	16	6	22
		% within Sex	72.7%	60.0%	68.8%
	African American	Count	5	3	8
		% within Sex	22.7%	30.0%	25.0%
	Hispanic	Count	1	1	2
		% within Sex	4.5%	10.0%	6.3%
Total	Count	22	10	32	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	15		15
		% within Sex	68.2%		46.9%
	IDU	Count	2	2	4
		% within Sex	9.1%	20.0%	12.5%
	Heterosexual Contact	Count	1	5	6
		% within Sex	4.5%	50.0%	18.8%
	Not Classified	Count	3	3	6
		% within Sex	13.6%	30.0%	18.8%
	Ped Hemophiliac	Count	1		1
		% within Sex	4.5%		3.1%
Total	Count	22	10	32	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		22	22
		% within Adult-Ped		71.0%	68.8%
	African American	Count	1	7	8
		% within Adult-Ped	100.0%	22.6%	25.0%
	Hispanic	Count		2	2
		% within Adult-Ped		6.5%	6.3%
Total	Count	1	31	32	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	21	22
		% within Adult-Ped	100.0%	67.7%	68.8%
	Female	Count		10	10
		% within Adult-Ped		32.3%	31.3%
Total		Count	1	31	32
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Sherman-Denison

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	30-39	Count	4	1	5
		% within Sex	66.7%	100.0%	71.4%
	40-49	Count	1		1
		% within Sex	16.7%		14.3%
	50-59	Count	1		1
		% within Sex	16.7%		14.3%
Total	Count	6	1	7	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	6	1	7
		% within Sex	100.0%	100.0%	100.0%
Total		Count	6	1	7
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4		4
		% within Sex	66.7%		57.1%
	IDU	Count	1		1
		% within Sex	16.7%		14.3%
	M-M & IDU	Count	1		1
		% within Sex	16.7%		14.3%
	Heterosexual Contact	Count		1	1
		% within Sex		100.0%	14.3%
Total	Count	6	1	7	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count	7	7
		% within Adult-Ped	100.0%	100.0%
Total		Count	7	7
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Sherman-Denison

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol escent	Total
Sex	Male	Count	6	6
		% within Adult-Ped	85.7%	85.7%
	Female	Count	1	1
		% within Adult-Ped	14.3%	14.3%
Total		Count	7	7
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Sherman-Denison

HSDA = Sherman-Denison

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1		1
		% within Sex	14.3%		12.5%
	30-39	Count	1	1	2
		% within Sex	14.3%	100.0%	25.0%
	40-49	Count	3		3
		% within Sex	42.9%		37.5%
	50-59	Count	1		1
		% within Sex	14.3%		12.5%
	60-69	Count	1		1
		% within Sex	14.3%		12.5%
Total	Count	7	1	8	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	6	1	7
		% within Sex	85.7%	100.0%	87.5%
	Hispanic	Count	1		1
		% within Sex	14.3%		12.5%
	Total		7	1	8
			100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	3		3
		% within Sex	42.9%		37.5%
	IDU	Count	1		1
		% within Sex	14.3%		12.5%
	M-M & IDU	Count	2		2
		% within Sex	28.6%		25.0%
	Heterosexual Contact	Count		1	1
		% within Sex		100.0%	12.5%
	Not Classified	Count	1		1
		% within Sex	14.3%		12.5%
Total	Count	7	1	8	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	7	7
		% within Adult-Ped	87.5%	87.5%
	Hispanic	Count	1	1
		% within Adult-Ped	12.5%	12.5%
Total		Count	8	8
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Sherman-Denison

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	7	7
		% within Adult-Ped	87.5%	87.5%
	Female	Count	1	1
		% within Adult-Ped	12.5%	12.5%
Total		Count	8	8
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Sherman-Denison

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Sherman-Denison

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count		1	1
		% within Sex		5.9%	.6%
	20-24	Count	6	1	7
		% within Sex	4.1%	5.9%	4.3%
	25-29	Count	19	6	25
		% within Sex	13.0%	35.3%	15.3%
	30-39	Count	76	7	83
		% within Sex	52.1%	41.2%	50.9%
	40-49	Count	32		32
		% within Sex	21.9%		19.6%
	50-59	Count	8		8
		% within Sex	5.5%		4.9%
	60-69	Count	2	1	3
		% within Sex	1.4%	5.9%	1.8%
	70+	Count	3	1	4
		% within Sex	2.1%	5.9%	2.5%
Total		Count	146	17	163
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	123	15	138
		% within Sex	84.2%	88.2%	84.7%
	African American	Count	14	1	15
		% within Sex	9.6%	5.9%	9.2%
	Hispanic	Count	8	1	9
		% within Sex	5.5%	5.9%	5.5%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.7%		.6%
	Total		Count	146	17
			% within Sex	100.0%	100.0%

a. HSDA = Sherman-Denison

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	83		83
		% within Sex	56.8%		50.9%
	IDU	Count	23	9	32
		% within Sex	15.8%	52.9%	19.6%
	M-M & IDU	Count	25		25
		% within Sex	17.1%		15.3%
	Hemophiliac	Count	1		1
		% within Sex	.7%		.6%
	Heterosexual Contact	Count	2	4	6
		% within Sex	1.4%	23.5%	3.7%
	Transfusion	Count	5	1	6
		% within Sex	3.4%	5.9%	3.7%
	Not Classified	Count	7	3	10
		% within Sex	4.8%	17.6%	6.1%
Total	Count	146	17	163	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	138	138
		% within Adult-Ped	84.7%	84.7%
	African American	Count	15	15
		% within Adult-Ped	9.2%	9.2%
	Hispanic	Count	9	9
		% within Adult-Ped	5.5%	5.5%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	.6%	.6%
	Total		163	163
			100.0%	100.0%

a. HSDA = Sherman-Denison

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol escent	Total
Sex	Male	Count	146	146
		% within Adult-Ped	89.6%	89.6%
	Female	Count	17	17
		% within Adult-Ped	10.4%	10.4%
Total		Count	163	163
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Sherman-Denison

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Sherman-Denison

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count		1	1
		% within Sex		11.1%	1.2%
	20-24	Count	4	1	5
		% within Sex	5.3%	11.1%	6.0%
	25-29	Count	4	2	6
		% within Sex	5.3%	22.2%	7.1%
	30-39	Count	39	4	43
		% within Sex	52.0%	44.4%	51.2%
	40-49	Count	18		18
		% within Sex	24.0%		21.4%
	50-59	Count	8		8
		% within Sex	10.7%		9.5%
	60-69	Count	2		2
		% within Sex	2.7%		2.4%
	70+	Count		1	1
		% within Sex		11.1%	1.2%
Total		Count	75	9	84
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	20-24	Count	1	1	2
		% within Sex	1.3%	11.1%	2.4%
	25-29	Count	1		1
		% within Sex	1.3%		1.2%
	30-39	Count	26	7	33
		% within Sex	34.7%	77.8%	39.3%
	40-49	Count	31		31
		% within Sex	41.3%		36.9%
	50-59	Count	11		11
		% within Sex	14.7%		13.1%
	60-69	Count	4		4
		% within Sex	5.3%		4.8%
	70+	Count	1	1	2
		% within Sex	1.3%	11.1%	2.4%
Total		Count	75	9	84
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	64	9	73
		% within Sex	85.3%	100.0%	86.9%
	African American	Count	5		5
		% within Sex	6.7%		6.0%
	Hispanic	Count	5		5
		% within Sex	6.7%		6.0%
	Am Indian-Alaskan	Count	1		1
		% within Sex	1.3%		1.2%
Total	Count	75	9	84	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	41		41
		% within Sex	54.7%		48.8%
	IDU	Count	12	5	17
		% within Sex	16.0%	55.6%	20.2%
	M-M & IDU	Count	15		15
		% within Sex	20.0%		17.9%
	Heterosexual Contact	Count	2	2	4
		% within Sex	2.7%	22.2%	4.8%
	Transfusion	Count	1		1
		% within Sex	1.3%		1.2%
	Not Classified	Count	4	2	6
		% within Sex	5.3%	22.2%	7.1%
Total	Count	75	9	84	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Sherman-Denison

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	73	73
		% within Adult-Ped	86.9%	86.9%
	African American	Count	5	5
		% within Adult-Ped	6.0%	6.0%
	Hispanic	Count	5	5
		% within Adult-Ped	6.0%	6.0%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	1.2%	1.2%
Total	Count	84	84	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Sherman-Denison

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	75	75
		% within Adult-Ped	89.3%	89.3%
	Female	Count	9	9
		% within Adult-Ped	10.7%	10.7%
Total		Count	84	84
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Sherman-Denison

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

HSDA = Sherman-Denison

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count	1		1
		% within Sex	1.0%		.9%
	13-19	Count		2	2
		% within Sex		10.5%	1.7%
	20-24	Count	6	3	9
		% within Sex	6.2%	15.8%	7.8%
	25-29	Count	6	4	10
		% within Sex	6.2%	21.1%	8.6%
	30-39	Count	49	7	56
		% within Sex	50.5%	36.8%	48.3%
	40-49	Count	21	1	22
		% within Sex	21.6%	5.3%	19.0%
	50-59	Count	12	1	13
		% within Sex	12.4%	5.3%	11.2%
	60-69	Count	2		2
		% within Sex	2.1%		1.7%
	70+	Count		1	1
		% within Sex		5.3%	.9%
Total		Count	97	19	116
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	20-24	Count	3	3	6
		% within Sex	3.1%	15.8%	5.2%
	25-29	Count	4	2	6
		% within Sex	4.1%	10.5%	5.2%
	30-39	Count	33	11	44
		% within Sex	34.0%	57.9%	37.9%
	40-49	Count	36	1	37
		% within Sex	37.1%	5.3%	31.9%
	50-59	Count	15		15
		% within Sex	15.5%		12.9%
	60-69	Count	5	1	6
		% within Sex	5.2%	5.3%	5.2%
	70+	Count	1	1	2
		% within Sex	1.0%	5.3%	1.7%
Total		Count	97	19	116
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	80	15	95
		% within Sex	82.5%	78.9%	81.9%
	African American	Count	10	3	13
		% within Sex	10.3%	15.8%	11.2%
	Hispanic	Count	6	1	7
		% within Sex	6.2%	5.3%	6.0%
	Am Indian-Alaskan	Count	1		1
		% within Sex	1.0%		.9%
	Total		97	19	116
			100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	56		56
		% within Sex	57.7%		48.3%
	IDU	Count	14	7	21
		% within Sex	14.4%	36.8%	18.1%
	M-M & IDU	Count	15		15
		% within Sex	15.5%		12.9%
	Heterosexual Contact	Count	3	7	10
		% within Sex	3.1%	36.8%	8.6%
	Transfusion	Count	1		1
		% within Sex	1.0%		.9%
	Not Classified	Count	7	5	12
		% within Sex	7.2%	26.3%	10.3%
	Ped Hemophiliac	Count	1		1
		% within Sex	1.0%		.9%
Total		Count	97	19	116
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		95	95
		% within Adult-Ped		82.6%	81.9%
	African American	Count	1	12	13
		% within Adult-Ped	100.0%	10.4%	11.2%
	Hispanic	Count		7	7
		% within Adult-Ped		6.1%	6.0%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.9%	.9%
	Total		1	115	116
			100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	96	97
		% within Adult-Ped	100.0%	83.5%	83.6%
	Female	Count		19	19
		% within Adult-Ped		16.5%	16.4%
Total		Count	1	115	116
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Sherman-Denison